

Index

- 3D reconstruction, 122
- 5+1-point algorithm, 268
- 5-point algorithm, 252
- 7-point algorithm, 247
- 8-point algorithm, 245

- affine point, 43
- affine transformation, 55
- affine transformation group, 55
- affine vector, 43
- algebraic constraint, 172
- algebraic distance, 38
- algebraic error, 38, 172
- algebraically independent, 117
- anti-Hermitian matrix, 323
- aperture, 93, 274
- associative operation, 328
- automatic camera calibration, 272
- auxiliary variables, 185, 210, 250, 285

- backward interpolation, 293
- barrel distortion, 277
- barycentric coordinates, 228
- baseline, 122, 123
- blending, 294
- block diagonal matrix, 335
- block matrix, 335
- bounding box, 108, 288
- Brown-Conrady distortion, 279
- bundle adjustment, 309, 310

- C-normalized image coordinates, 98
- calibrated epipolar geometry, 121, 244
- calibration device, 282
- camera, 93
- camera calibration, 107, 204, 271
- camera center, 92
- camera centered coordinate systems, 94
- camera matrix, 92
- camera normalized image coordinates, 98
- camera obscura, 93
- camera projection matrix, 92
- camera resectioning, 106
- canonical form, 28, 30, 63, 64, 68, 71
- canonical homogeneous coordinates, 88
- Cardano angles, 158

- Cartesian representation, 18
- Cayley transformation, 153
- central perspective, 91
- central projection, 91
- centroid, 167
- \mathbb{C}^n , 321
- co-linear planes, 22
- co-linear points, 18, 22
- co-planar lines, 22
- co-planar points, 21
- collineation, 83
- column compression, 340
- commutative operation, 328
- complex conjugate, 321
- Complex conjugation, 322
- Conjugate transpose, 323
- conjugate transpose, 323
- consensus set, 257
- consistent, 70
- consistent parameterization, 210
- constraint enforcement, 211, 225, 234, 245
- corner points, 178
- correspondence problem, 186, 187
- corresponding points, 121, 183
- cost function, 166
- cross product, 331
- cross product matrix, 331
- cross product operator, 331
- cross-correlation, 167

- D-normalization, 32
- data degeneracy, 189
- data error, 179
- data matrix, 34, 171
- decentering distortion, 279
- degenerate configuration, 50
- degenerate data, 33
- degrees of freedom, 49, 209
- depth, 97
- depth-of-field, 274
- descent direction, 354
- Direct Linear Transformation, 117
- direct linear transformation, 185
- directed line, 40
- direction, 43
- distibutive operation, 328

- distortion center, 280
- DL-normalization, 71
- DLT, 185
- double embedding of $SO(3)$, 155
- dual homogeneous coordinates, 30, 65
- dual line normalization, 32, 71
- dual Plücker coordinates, 47, 69
- dual transformation, 60
- duality mapping, 70
- duality principle, 48

- Eckart-Young (-Mirsky) theorem, 343
- ego-motion estimation, 310
- energy function, 166
- epipolar constraint, 117, 121, 126
- epipolar homographies, 125
- epipolar line, 123, 127
- epipolar plane, 124
- epipolar points, 123
- epipoles, 123
- equation of the line, 18
- equation of the plane, 21
- equilibrating transformation, 198
- equivalent cameras, 112
- error function, 166
- essential matrix, 121, 137, 139
- Euclidean reconstruction, 134
- Euler angles, 158
- exterior orientation, 104, 227
- external camera parameters, 104

- FET, 278
- field of view model, 278
- fish-eye lens, 274
- fish-eye transform, 278
- focal length, 94
- focal point, 92
- forward interpolation, 293
- FOV, 278
- Frobenius norm, 324
- Frobenius scalar (or inner) product, 324
- full rank pseudo-inverse, 333
- fundamental matrix, 121, 127

- Gauss-Newton method, 358
- general configuration, 50
- geometric distortion, 274
- geometric objects, 27
- gimbal lock, 161
- gold standard method, 250
- group
 - examples
 - special unitary group, 324
 - $SU(n)$, 324
 - $U(n)$, 324
 - unitary group, 324

- H-normalization, 199
- hand-eye calibration, 227
- Hartley normalization, 199
- Hermitean
 - matrix, 323
 - scalar product, 321
- homogeneous coordinates, 25, 28, 63
- homogeneous method, 174
- homogeneous representation, 18
- homography, 83
- homography transformation, 83
- hybrid method, 358

- ideal data, 179
- ideal point, 43
- identical noise, 180
- identity element, 328
- identity rotation, 147
- image coordinate system, 101
- image coordinates, 92
- image mosaic, 288
- image mosaicking, 288
- image plane, 92
- image point, 92
- incidence relations, 32
- independent noise, 180
- indeterministic estimation method, 257
- inhomogeneous method, 173
- inliers, 254
- intercept, 20
- interior orientation, 104
- internal camera parameters, 104
- internal constraint, 70
- invariances, 49
- inverse of a quaternion, 329
- involution, 58, 153
- IPC, 229
- isotropic noise, 180
- iterative closest point, 229

- Jacobian, 357
- Jacobian mask, 316, 362

- keystone effect, 86

- L-normalization, 68
- left inverse, 333
- left singular vectors, 337
- lens distortion, 274
- lens distortion function, 275
- lens effect, 274
- Levenberg-Marquardt method, 358
- line at infinity, 44, 67

- line normalization, 68
- linear transformation, 326

- maximum likelihood estimation, 179
- mean, 167
- measurement error, 179
- measurement noise, 110
- method degeneracies, 243
- method degeneracy, 189
- mid-point method, 238
- minimal case estimation, 188
- minimal parameterization, 104, 129
- ML-estimation, 179
- model error, 176
- Moore-Penrose inverses, 334

- nearest neighbor interpolation, 111, 293
- Newton's method, 356
- non-linear optimization, 353
- norm
 - Frobenius, 324
- normalized 8-point algorithm, 246
- normalized camera, 97
- normalized camera matrix, 97
- normalizing transformation, 195, 198

- objective function, 166
- observation, 179
- omni-directional camera, 287
- one-first enumeration, 110
- OPP, 341
- optical axis, 94
- optical center, 92
- optical ray, 111
- orientation of a line, 43
- orthogonal Procrustes problem, 341
- outliers, 254
- over-fitting, 176

- P-normalization, 29
- P3P, 236
- panorama image, 288
- panorama stitching, 288
- parameterization of a transformation, 50
- parameters space, 147
- perspective n -point problem, 233
- pin-cushion distortion, 277
- pinhole camera, 91, 93
- pinhole perspective, 91
- pixel coordinates, 101
- pixel grid, 108
- pixel scale, 105
- pixel value, 109
- pixels, 93
- Plücker coordinates, 47
- Plücker coordinates of the line, 67
- plumb bob distortion, 279
- PnP, 233
- point at infinity, 42
- point cloud, 314
- point normalization, 29
- points of interest, 178, 187
- pose, 104
- pre-conditioning, 198
- principal axis, 94
- principal line, 94
- principal plane, 94
- principal point, 94
- projection, 83
- projection line, 83, 111
- projection point, 83
- projective elements, 325
- projective reconstruction, 134
- projective space, 325
- projectivity, 83
- proper line, 67
- proper lines, 41
- proper points, 41
- pseudo-inverse, 333
 - full rank, 333
- pure quaternion, 329
- putative correspondences, 306

- quaternion, 328
 - inverse, 329
 - pure, 329
- quaternionic embedding of \mathbb{R}^3 , 154

- radial distortion function, 276
- Random Sample Consensus, 258
- RANSAC, 258
- re-mapping of the residual vector, 213
- re-normalize, 195
- re-parameterization, 211
- reconstruction, 133
- rectified stereo rig, 122, 135
- rectifying homographies, 137
- reference image, 289
- registration, 229
- representative of a projective element, 325
- reprojection error, 309
- residual, 357
- residual error, 167
- residual vector, 208
- right inverse, 333
- right singular vectors, 337
- rigid transformation, 53
- rigid transformation group, 53
- robust errors, 255
- Robust estimation, 254

robust estimation, 253
 Rodrigues' rotation formula, 148
 rotation, 146
 row compression, 340

 SAD, 171
 sandwich product, 82
 scalar product
 Frobenius, 324
 Schur complement, 336
 Schur complement trick, 318
 $SE(2)$, 53
 $SE(3)$, 79
 semi-linear, 322
 sesqui-linear, 322
 SfM, 306
 shearing, 58
 signed distance, 37
 similarity reconstruction, 134
 similarity transformations, 54
 singular value decomposition, 336
 singular values, 337
 skewing, 58
 slope, 20
 solution space, 189
 SOPP, 225
 special Euclidean transformation group
 in \mathbb{E}^2 , 53
 in \mathbb{E}^3 , 79
 special orthogonal Procrustes problem, 225
 special QR-factorization, 351
 special SVD, 342
 special unitary group, 324
 SSD, 171
 SSVD, 342
 standard deviation, 180
 standard Plücker coordinates, 69
 step length, 354
 stereo cameras, 121
 stereo rectification, 122
 stereo rig, 121, 122
 structure from motion, 306
 $SU(n)$, 324
 $su(n)$, 323
 SVD, 336
 SVD profile, 191

 Tait-Bryan angles, 158
 thin-prism distortion, 279
 three-angle representation, 158
 total least squares, 168
 translation group, 52
 trial set, 257
 triangulation, 117, 122, 133
 twisted pair, 161

 twisted rotations, 141

 $U(n)$, 324
 unbiased estimate, 201
 unbiased noise, 180
 uncalibrated epipolar geometry, 121, 130
 uniform noise, 180
 unit quaternion, 329
 unitary group, 324
 unitary matrix, 324
 unperturbed data, 179

 variances, 167
 vector product, 331
 vectorization, 186, 203
 virtual image plane, 97
 visibility function, 309

 Wahba's problem, 224
 world coordinate system, 98

 zero-first enumeration, 110